

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Mouse anti Human CD38, conjugated with FITC, IgG1, Clone: [TME-2], Monoclonal NMB-0382

Artikelname	Mouse anti Human CD38, conjugated with FITC, IgG1, Clone: [TME-2], Monoclonal
Artikelnummer	NMB-0382
Hersteller Artikelnummer	0382
Alternativnummer	NMB-0382
Hersteller	NordicMubio
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC
Spezies Reaktivität	Human
Konjugation	FITC
Produktbeschreibung	CD38 antigen is an integral membrane glycoprotein, M.W. 45 kD. The CD38 antigen is present on approximately all pre-B lymphocytes, plasma cells and thymocytes. CD38 antigen is also expressed on activated T Lymphocytes, NK Cells, monocytes, myeloblast...
Klonalität	Monoclonal
Konzentration	Titered for flow cytometry
Klon-Bezeichnung	[TME-2]

Isotyp	IgG1
UniProt	<a href="#">P28907</a>
Puffer	Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein
Reinheit	Protein A/G Chromatography
Formulierung	FITC
Formel	Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein
Anwendungsbeschreibung	<p>PBMC: Add 10 µl of MAB/10 6 PBMC in 100 µl PBS. Mix gently and incubate for 15 minutes at 2 to 8C. Wash twice with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze. WHOLE BLOOD: Add 10 µl of MAB/100 µl of whole blood. Mix gently and incubate for 15 minutes at room temperature (20C). Lyse the whole blood. Wash once with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze. See instrument manufacturers instructions for Lysed Whole Blood and Immunofluorescence analysis with a flow cytometer or microscope.</p>