

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

EpCAM Antibody, Clone: [EPM17-1], Mouse, Monoclonal NSJ-V7010SAF-100UG

Artikelname	EpCAM Antibody, Clone: [EPM17-1], Mouse, Monoclonal
Artikelnummer	NSJ-V7010SAF-100UG
Hersteller Artikelnummer	V7010SAF-100UG
Alternativnummer	NSJ-V7010SAF-100UG
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	FACS, IF, IHC-P, WB
Spezies Reaktivität	Human
Immunogen	Recombinant human protein was used as the immunogen for the EpCAM antibody.
Produktbeschreibung	EpCAM may act as a physical homophilic interaction molecule between intestinal epithelial cells (IECs) and intraepithelial lymphocytes (IELs) at the mucosal epithelium for providing immunological barrier as a first line of defense against mucosal inf...
Klonalität	Monoclonal
Konzentration	1 mg/ml in 1X PBS, BSA free, sodium azide free
Klon-Bezeichnung	[EPM17-1]
Isotyp	Mouse IgG1, kappa

UniProt	P16422
Puffer	1 mg/ml in 1X PBS, BSA free, sodium azide free
Reinheit	Protein G affinity chromatography
Formulierung	1 mg/ml in 1X PBS, BSA free, sodium azide free
Target-Kategorie	EpCAM
Antibody Type	Primary Antibody
Application Verdünnung	Flow cytometry: 1-2ug/million cells in 0.1ml, Western blot: 2-4ug/ml, Immunofluorescence: 1-2 ug/ml, Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT (1), Prediluted IHC only format: incubate for 30 min at RT (2)
Anwendungsbeschreibung	Titering of the EpCAM antibody may be required for optimal performance. 1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.