

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

EGFR Antibody, Clone: [ERB7-1], Mouse, Monoclonal NSJ-V7019IHC-7ML

Artikelname	EGFR Antibody, Clone: [ERB7-1], Mouse, Monoclonal
Artikelnummer	NSJ-V7019IHC-7ML
Hersteller Artikelnummer	V7019IHC-7ML
Alternativnummer	NSJ-V7019IHC-7ML
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC-P
Spezies Reaktivität	Human
Immunogen	Purified EGF receptor was used as the immunogen for the EGFR antibody.
Produktbeschreibung	Receptor tyrosine kinase binding ligands of the EGF family and activating several signaling cascades to convert extracellular cues into appropriate cellular responses. Known ligands include EGF, TGFA/TGF-alpha, amphiregulin, epigen/EPGN, BTC/betacell...
Klonalität	Monoclonal
Konzentration	Prediluted in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide, *For IHC use only*
Klon-Bezeichnung	[ERB7-1]
Isotyp	Mouse IgG2a, kappa

UniProt	P00533
Puffer	Prediluted in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide, *For IHC use only*
Reinheit	Protein G affinity chromatography
Formulierung	Prediluted in 1X PBS, 0.1 mg/ml BSA (US sourced), 0.05% sodium azide, *For IHC use only*
Target-Kategorie	EGF Receptor / EGFR
Antibody Type	Primary Antibody
Application Verdünnung	The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.
Anwendungsbeschreibung	Titering of the EGFR antibody may be required for optimal performance.1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.