

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD20 Antibody, Clone: [CDLA20-1], Mouse, Monoclonal NSJ-V7096-20UG

Artikelname	CD20 Antibody, Clone: [CDLA20-1], Mouse, Monoclonal
Artikelnummer	NSJ-V7096-20UG
Hersteller Artikelnummer	V7096-20UG
Alternativnummer	NSJ-V7096-20UG
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	FACS, IF, IHC-P
Spezies Reaktivität	Human
Immunogen	Recombinant CD20 protein was used as the immunogen for this CD20 antibody. The epitope is known to be extracellular.
Produktbeschreibung	CD20 is a non-Ig differentiation antigen of B-cells and its expression is restricted to normal and neoplastic B-cells, being absent from all other leukocytes and tissues. It is expressed by pre B-cells and persists during all stages of maturation but...
Klonalität	Monoclonal
Konzentration	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Klon-Bezeichnung	[CDLA20-1]
Isotyp	Mouse IgG2a, kappa

UniProt	P11836
Puffer	1X PBS, pH 7.4
Reinheit	Protein G affinity chromatography
Formulierung	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Target-Kategorie	CD20
Antibody Type	Primary Antibody
Application Verdünnung	FACS: 0.5-1ug/million cells,Immunofluorescence: 0.5-1ug/ml,Immunohistochemistry (FFPE): 0.5-1ug/ml for 30 min at RT,Prediluted IHC only format: incubate for 30 min at RT (1)
Anwendungsbeschreibung	Titering of the CD20 antibody may be required for optimal performance.1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.