

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

MYADM Antibody, Clone: [MYUP1], Mouse, Monoclonal NSJ-V7179-20UG

Artikelname	MYADM Antibody, Clone: [MYUP1], Mouse, Monoclonal
Artikelnummer	NSJ-V7179-20UG
Hersteller Artikelnummer	V7179-20UG
Alternativnummer	NSJ-V7179-20UG
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC-P
Spezies Reaktivität	Human
Immunogen	Recombinant human protein was used as the immunogen for the MYADM antibody.
Produktbeschreibung	MYADM (myeloid-associated differentiation marker) is an antigen in the cytoplasm of mature granulocytes. Markers of myeloid cells are useful in the identification of different levels of cellular differentiation. MYADM antibody reacts with early precu...
Klonalität	Monoclonal
Konzentration	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Klon-Bezeichnung	[MYUP1]
Isotyp	Mouse IgG1

UniProt	Q96S97
Puffer	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Reinheit	Protein G affinity chromatography
Formulierung	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Target-Kategorie	Myeloid Marker / MYADM
Antibody Type	Primary Antibody
Application Verdünnung	Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT, Prediluted IHC only format: incubate for 30 min at RT (1)
Anwendungsbeschreibung	Titering of the MYADM antibody may be required for optimal performance. 1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.