

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant Cytokeratin 16 (KRT16) (Suprabasal Keratinocyte Marker) Antibody, IgG1, Clone: [rKRT16/1714], Mouse, Monoclonal NBT-3868-MSM4-P1ABX

| | |
|--------------------------|---|
| Artikelname | Recombinant Cytokeratin 16 (KRT16) (Suprabasal Keratinocyte Marker) Antibody, IgG1, Clone: [rKRT16/1714], Mouse, Monoclonal |
| Artikelnummer | NBT-3868-MSM4-P1ABX |
| Hersteller Artikelnummer | 3868-MSM4-P1ABX |
| Alternativnummer | NBT-3868-MSM4-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant fragment from the C-terminal of human Cytokeratin 16 |
| Produktbeschreibung | Cytokeratins are a family of intermediate filament proteins that assemble into filaments through forming heterodimers of one type I Cytokeratins (Cytokeratins 9 to 23) and one type II Cytokeratins (keratins 1 to 8). The cytokeratin proteins play a cr... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [rKRT16/1714] |
| Molekulargewicht | 48kDa |
| Isotyp | IgG1 |

| | |
|------------------------|--|
| NCBI | 3868 |
| UniProt | P08779 |
| Formulierung | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution |