

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

MMP9 (Matrix Metalloproteinase 9) Antibody, IgG2b, Clone: [MMP9/2477], Mouse, Monoclonal NBT-4318-MSM7-P0

| | |
|--------------------------|---|
| Artikelname | MMP9 (Matrix Metalloproteinase 9) Antibody, IgG2b, Clone: [MMP9/2477], Mouse, Monoclonal |
| Artikelnummer | NBT-4318-MSM7-P0 |
| Hersteller Artikelnummer | 4318-MSM7-P0 |
| Alternativnummer | NBT-4318-MSM7-P0-20,NBT-4318-MSM7-P0-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant human MMP9 protein fragment (around aa 22-166) (exact sequence is proprietary) |
| Produktbeschreibung | The matrix metalloproteinases (MMP) are a family of peptidase enzymes responsible for the degradation of extracellular matrix components, including collagen, gelatin, fibronectin, laminin and proteoglycan. Transcription of MMP genes is differentially... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [MMP9/2477] |
| Molekulargewicht | 92kDa |

| | |
|------------------------|---|
| Isotyp | IgG2b |
| NCBI | 4318 |
| UniProt | P14780 |
| Formulierung | 200ug/ml of Ab Purified by Protein A. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution f |