

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD45RO (T-Cell Marker) Antibody, IgG2a, Clone: [SPM125], Mouse, Monoclonal NBT-5788-MSM1X-P1ABX

| | |
|--------------------------|---|
| Artikelname | CD45RO (T-Cell Marker) Antibody, IgG2a, Clone: [SPM125], Mouse, Monoclonal |
| Artikelnummer | NBT-5788-MSM1X-P1ABX |
| Hersteller Artikelnummer | 5788-MSM1X-P1ABX |
| Alternativnummer | NBT-5788-MSM1X-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | FC, IF, IHC, WB |
| Spezies Reaktivität | Human, Monkey, Primate |
| Immunogen | Cultured human T-cells from an IL-2-dependent T-cell line (CA1) |
| Produktbeschreibung | Recognizes a 180-185kDa protein, identified as isoform of leukocyte common antigen (CD45RO). The epitope recognized by this antibody is sensitive to neuraminidase digestion. This antibody reacts with mature activated T-cells, most thymocytes, and a s... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [SPM125] |
| Molekulargewicht | 180-185kDa |
| Isotyp | IgG2a |

| | |
|------------------------|---|
| NCBI | 5788 |
| UniProt | P08575 |
| Formulierung | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM |