

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CD45 / LCA (Leucocyte Marker) Antibody, IgG1, Clone: [2B11 + PD7/26], Mouse, Monoclonal NBT-5788-MSM5-FITC-100T**

Artikelname	CD45 / LCA (Leucocyte Marker) Antibody, IgG1, Clone: [2B11 + PD7/26], Mouse, Monoclonal
Artikelnummer	NBT-5788-MSM5-FITC-100T
Hersteller Artikelnummer	5788-MSM5-FITC-100T
Alternativnummer	NBT-5788-MSM5-FITC-100T-0.5,NBT-5788-MSM5-FITC-100T-500
Hersteller	NeoBiotechnologies
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC, WB
Spezies Reaktivität	Human
Immunogen	Isolated neoplastic cells from T cell lymphoma (2B11), and human peripheral blood lymphocytes maintained in T cell growth factor (PD7/26).
Produktbeschreibung	Recognizes the CD45 leukocyte common antigen (LCA) family which is comprised of at least four isoforms of membrane glycoproteins (220, 205, 190, 180kDa) expressed on hematopoietic cell lines but absent on non-hematopoietic cell lines, normal and mali...
Klonalität	Monoclonal
Klon-Bezeichnung	[2B11 + PD7/26]
Molekulargewicht	180-220kDa

Isotyp	IgG1
NCBI	<a href="#">5788</a>
UniProt	<a href="#">P08575</a>
Formulierung	200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Anwendungsbeschreibung	Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min