

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Recombinant CD138 / Syndecan-1 (SDC1) (Plasma Cell Marker) Antibody, IgG1, Clone: [rSDC1/6866], Mouse, Monoclonal NBT-6382-MSM6-P0**

Artikelname	Recombinant CD138 / Syndecan-1 (SDC1) (Plasma Cell Marker) Antibody, IgG1, Clone: [rSDC1/6866], Mouse, Monoclonal
Artikelnummer	NBT-6382-MSM6-P0
Hersteller Artikelnummer	6382-MSM6-P0
Alternativnummer	NBT-6382-MSM6-P0-20,NBT-6382-MSM6-P0-100
Hersteller	NeoBiotechnologies
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IHC
Spezies Reaktivität	Human
Immunogen	Recombinant fragment (around aa200-300) of human CD138 protein (exact sequence is proprietary)
Produktbeschreibung	CD138, also designated syndecan-1, is a member of the syndecan family of four transmembrane spanning proteins capable of binding to heparan sulfate and chondroitin sulfate molecules. The syndecans main functions are to control cell growth and differe...
Klonalität	Monoclonal
Klon-Bezeichnung	[rSDC1/6866]
Molekulargewicht	85kDa

Isotyp	IgG1
NCBI	<a href="#">6382</a>
UniProt	<a href="#">P18827</a>
Formulierung	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Recombinant Monoclonal Antibody
Anwendungsbeschreibung	Flow Cytometry (1-2ug/million cells), ,Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooli