

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant p53 Tumor Suppressor Protein Antibody, IgG1, Clone: [rTP53/8579], Mouse, Monoclonal NBT-7157-MSM32-P1ABX

| | |
|--------------------------|--|
| Artikelname | Recombinant p53 Tumor Suppressor Protein Antibody, IgG1, Clone: [rTP53/8579], Mouse, Monoclonal |
| Artikelnummer | NBT-7157-MSM32-P1ABX |
| Hersteller Artikelnummer | 7157-MSM32-P1ABX |
| Alternativnummer | NBT-7157-MSM32-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant full-length human TP53 protein |
| Produktbeschreibung | The specificity of this monoclonal antibody to its intended target was validated by HuProt™ Array, containing more than 19,000, full-length human proteins. Recognizes a 53kDa protein, which is identified as p53 suppressor gene product. It reacts wit... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [rTP53/8579] |
| Molekulargewicht | 53kDa |
| Isotyp | IgG1 |

| | |
|------------------------|--|
| NCBI | 7157 |
| UniProt | P04637 |
| Formulierung | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes),Optimal dilutio |