

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Villin (GI-Mucosal & Urogenital Brush Border Marker) Antibody, IgG1, Clone: [VIL1/1314 + VIL1/2376], Mouse, Monoclonal NBT-7429-MSM3-P0

| | |
|--------------------------|---|
| Artikelname | Villin (GI-Mucosal & Urogenital Brush Border Marker) Antibody, IgG1, Clone: [VIL1/1314 + VIL1/2376], Mouse, Monoclonal |
| Artikelnummer | NBT-7429-MSM3-P0 |
| Hersteller Artikelnummer | 7429-MSM3-P0 |
| Alternativnummer | NBT-7429-MSM3-P0-20,NBT-7429-MSM3-P0-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | A recombinant fragment (around aa179-311) of human Villin protein (exact sequence is proprietary) |
| Produktbeschreibung | Recognizes a protein of 95kDa, which is identified as villin. It is a major constituent in the microvilli, which compose the brush border of epithelial cells forming absorptive surfaces of the intestinal and renal proximal tubular epithelia. Anti-Vil... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [VIL1/1314 + VIL1/2376] |
| Molekulargewicht | 93kDa |

| | |
|------------------------|---|
| Isotyp | IgG1 |
| NCBI | 7429 |
| UniProt | P09327 |
| Formulierung | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution f |