

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant XRCC5 (Ku86 / Ku80) (Thyroid-Lupus Autoantigen) Antibody, IgG1, Clone: [XRCC5/8703R], Rabbit, Monoclonal NBT-7520-RBM13-P0

| | |
|--------------------------|---|
| Artikelname | Recombinant XRCC5 (Ku86 / Ku80) (Thyroid-Lupus Autoantigen) Antibody, IgG1, Clone: [XRCC5/8703R], Rabbit, Monoclonal |
| Artikelnummer | NBT-7520-RBM13-P0 |
| Hersteller Artikelnummer | 7520-RBM13-P0 |
| Alternativnummer | NBT-7520-RBM13-P0-20,NBT-7520-RBM13-P0-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant fragment (around aa300-500) of human XRCC5 (exact sequence is proprietary) |
| Produktbeschreibung | The Ku protein is localized in the nucleus and is composed of subunits referred to as Ku-70 (or p70) and Ku-86 or (p86) which is also known by the synonym Ku-80 or (p80). Ku was first described as an autoantigen to which antibodies were produced in a... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [XRCC5/8703R] |
| Molekulargewicht | 80-86kDa |

| | |
|------------------------|--|
| Isotyp | IgG1 |
| NCBI | 7520 |
| UniProt | P13010 |
| Formulierung | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes),Optimal dilutio |