

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Cytokeratin 7/17 Antibody, IgG1, Clone: [C-46], Mouse, Monoclonal NBT-MSM14-949-P1ABX

| | |
|--------------------------|---|
| Artikelname | Cytokeratin 7/17 Antibody, IgG1, Clone: [C-46], Mouse, Monoclonal |
| Artikelnummer | NBT-MSM14-949-P1ABX |
| Hersteller Artikelnummer | MSM14-949-P1ABX |
| Alternativnummer | NBT-MSM14-949-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | FC, IF, IHC, WB |
| Spezies Reaktivität | Bovine, Human |
| Immunogen | Cytoskeletal preparation from HeLa cells (human cervical carcinoma cells) |
| Produktbeschreibung | It recognizes intermediate filament proteins (IFPs) of 55kDa and 46kDa, which are identified as cytokeratin 7 and Cytokeratin 17 respectively. On formalin-fixed, paraffin embedded sections, C-46 reacts with keratin 7 only. Cytokeratins comprise a div... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [C-46] |
| Molekulargewicht | 55kDa (CK7), 46kDa (CK17) |
| Isotyp | IgG1 |

| | |
|------------------------|--|
| NCBI | 3855 |
| UniProt | P08729 |
| Formulierung | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 min at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA |