

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Recombinant Cytokeratin, Multi (Epithelial Marker) Antibody, IgG1, Clone: [rKRT/457], Mouse, Monoclonal NBT-MSM30-1876-P0**

Artikelname	Recombinant Cytokeratin, Multi (Epithelial Marker) Antibody, IgG1, Clone: [rKRT/457], Mouse, Monoclonal
Artikelnummer	NBT-MSM30-1876-P0
Hersteller Artikelnummer	MSM30-1876-P0
Alternativnummer	NBT-MSM30-1876-P0-20,NBT-MSM30-1876-P0-100
Hersteller	NeoBiotechnologies
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC, WB
Spezies Reaktivität	Bovine, Frog, Goat, Guinea pig, Human, Monkey, Mouse, Porcine, Rat
Immunogen	Keratin-enriched preparation from cultured human epithelial cells
Produktbeschreibung	Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pI 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4), 58kDa (CK5), 56kDa (CK6), 52...
Klonalität	Monoclonal
Klon-Bezeichnung	[rKRT/457]
Molekulargewicht	Multiple
Isotyp	IgG1

NCBI	<a href="#">3851</a>
UniProt	<a href="#">P02538</a>
Formulierung	200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Recombinant Monoclonal Antibody
Anwendungsbeschreibung	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution