

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant Cytokeratin 8/18 Antibody, IgG1, Clone: [rKRT8.18/1346], Mouse, Monoclonal NBT-MSM34-2298-P1ABX

| | |
|--------------------------|--|
| Artikelname | Recombinant Cytokeratin 8/18 Antibody, IgG1, Clone: [rKRT8.18/1346], Mouse, Monoclonal |
| Artikelnummer | NBT-MSM34-2298-P1ABX |
| Hersteller Artikelnummer | MSM34-2298-P1ABX |
| Alternativnummer | NBT-MSM34-2298-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant full-length human KRT8 protein & Recombinant full-length human KRT18 protein |
| Produktbeschreibung | Cytokeratin 8 (CK8) belongs to the type II (or B or basic) subfamily of high molecular weight cytokeratins and exists in combination with cytokeratin 18 (CK18). This MAbs cocktail recognizes all simple epithelia including glandular epithelium, for exa... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [rKRT8.18/1346] |
| Molekulargewicht | 52.5kDa (CK8), 45kDa (CK18) |

| | |
|------------------------|--|
| Isotyp | IgG1 |
| NCBI | 3856 |
| UniProt | P05787 |
| Formulierung | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution |