

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Bromodeoxyuridine (BrdU) (Proliferation Marker) Antibody, IgG1, Clone: [BRD469 + BRD494 + BRD.3], Mouse, Monoclonal NBT-MSM7-1000-P0**

Artikelname	Bromodeoxyuridine (BrdU) (Proliferation Marker) Antibody, IgG1, Clone: [BRD469 + BRD494 + BRD.3], Mouse, Monoclonal
Artikelnummer	NBT-MSM7-1000-P0
Hersteller Artikelnummer	MSM7-1000-P0
Alternativnummer	NBT-MSM7-1000-P0-20,NBT-MSM7-1000-P0-100
Hersteller	NeoBiotechnologies
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	All
Immunogen	Bromodeoxyuridine (BrdU) conjugated to BSA or KLH
Produktbeschreibung	It reacts with Bromodeoxyuridine (BrdU) in single stranded DNA (produced by partial denaturation of double stranded DNA), BrdU coupled to a protein carrier, as well as free BrdU. BrdU is a thymidine analog, incorporated into cell nuclei during DNA sy...
Klonalität	Monoclonal
Klon-Bezeichnung	[BRD469 + BRD494 + BRD.3]
Molekulargewicht	Depends on the target
Isotyp	IgG1

NCBI	Not Applicable
Formulierung	200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Anwendungsbeschreibung	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT) (Use Ab at 1ug/ml for 30 minute at RT)[For staining of formalin-fixed tissues, incubate sections in 4N HCl for 30 minutes at RT followed by digestion with trypsin at 1mg/ml PBS, 10 mi