

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Eotaxin Antibody, Rabbit, Polyclonal ROC-200-401-BB0

|                          |  |
|--------------------------|--|
| Artikelname              | Eotaxin Antibody, Rabbit, Polyclonal   |
| Artikelnummer            | ROC-200-401-BB0  |
| Hersteller Artikelnummer | 200-401-BB0  |
| Alternativnummer         | ROC-200-401-BB0  |
| Hersteller               | Rockland Immunochemicals   |
| Wirt                     | Rabbit   |
| Kategorie                | Antikörper   |
| Applikation              | ELISA, IF, IHC, WB   |
| Spezies Reaktivität      | Human  |
| Immunogen                | Anti-Eotaxin antibody was raised in rabbits against a peptide corresponding to amino acids near the C-terminus of human eotaxin. |
| Konjugation              | Unconjugated   |
| Klonalität               | Polyclonal   |
| Konzentration            | 1 mg/mL by UV absorbance at 280 nm   |
| NCBI                     | <a href="#">6356</a>   |
| UniProt                  | <a href="#">P51671</a>   |
| Puffer                   | 0.01 M Sodium Phosphate, 0.25 M Sodium Chloride, pH 7.2  |
| Formulierung             | Liquid (sterile filtered)  |

|                        |  |
|------------------------|--|
| Target-Kategorie       | Human  |
| Antibody Type          | Primary Antibody   |
| Application Verdünnung | ELISA: 1:10,000, IF Microscopy: 10 µg/mL, WB: 1 µg/mL  |
| Anwendungsbeschreibung | Anti-Eotaxin Antibody has been tested for use in ELISA, Western Blotting, Immunocytochemistry, and Immunofluorescence. Specific conditions for reactivity should be optimized by the end user. Expect a band at approximately 11 kDa in Western Blots of speci |