

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

TXNDC4 Peptide PRS-46-542P

Artikelname	TXNDC4 Peptide
Artikelnummer	PRS-46-542P
Hersteller Artikelnummer	46-542P
Alternativnummer	PRS-46-542P-0.1
Hersteller	ProSci
Kategorie	Proteine/Peptide
Applikation	Blocking
NCBI	23071
UniProt	Q9BS26
Puffer	TXNDC4 peptide is supplied as 100 µg of dried peptide. When the peptide is reconstituted in 200 µL water, the concentration will be 0.5 mg/mL.
Formulierung	Lyophilized

Anwendungsbeschreibung

TXNDC4 Peptide is used for blocking the activity of TXNDC4 antibody (catalog number 46-542). The TXNDC4 antibody ships at 0.5 mg/mL and the TXNDC4 Peptide ships as a 100 ug pellet. When peptide is reconstituted in 200 uL water, the concentration will be 0.5 mg/mL, identical to that of the antibody. The best starting ratio would be 1:1 (which means molar excess of peptide relative to antibody when identical volumes are mixed). Mix equal volume of peptide and antibody at the required dilution and leave at ambient temperature for 20 minutes. Then incubate and develop in parallel two blots: one with the antibody and one with the antibody which has been pre-absorbed with the provided peptide.