

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Phospho-Tyrosine Hydroxylase-S40 Rabbit pAb, Unconjugated ABB-AP1109

| | |
|--------------------------|---|
| Artikelname | Phospho-Tyrosine Hydroxylase-S40 Rabbit pAb, Unconjugated |
| Artikelnummer | ABB-AP1109 |
| Hersteller Artikelnummer | AP1109 |
| Alternativnummer | ABB-AP1109-20UL,ABB-AP1109-100UL,ABB-AP1109-500UL,ABB-AP1109-1000UL |
| Hersteller | ABclonal |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Applikation | ELISA, WB |
| Spezies Reaktivität | Human |
| Immunogen | Synthetic peptide. This information is considered to be commercially sensitive. |
| Konjugation | Unconjugated |
| Produktbeschreibung | The protein encoded by this gene is involved in the conversion of tyrosine to dopamine. It is the rate-limiting enzyme in the synthesis of catecholamines, hence plays a key role in the physiology of adrenergic neurons. Mutations in this gene have bee... |
| Klonalität | Polyclonal |
| Molekulargewicht | 45-59 kDa |
| NCBI | 7054 |

| | |
|------------------------|--|
| UniProt | P07101 |
| Reinheit | Affinity purification |
| Sequenz | RQSLI |
| Target-Kategorie | TH |
| Antibody Type | Primary Antibody |
| Application Verdünnung | WB,1:500 - 1:2000 ELISA,Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements. |
| Anwendungsbeschreibung | Cross-Reactivity: Rat, ResearchArea: Protein phosphorylation,Cancer,Signal Transduction,G protein signaling,G-Protein-Coupled Receptors Signaling to MAPK Erk,Endocrine Metabolism,Amino acid metabolism,Neuroscience, Cell Type Marker,Neurodegenerative Diseases,Dopamine Signaling in Parkinsons Disease,Neuron marker. |