

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD11b / MAC-1 (Microglial Marker) (ITGAM/271), CF405S conjugate, 0.1mg/mL, Clone: [ITGAM/271], Mouse, Monoclonal BOT-BNC040271-500

| | |
|--------------------------|---|
| Artikelname | CD11b / MAC-1 (Microglial Marker) (ITGAM/271), CF405S conjugate, 0.1mg/mL, Clone: [ITGAM/271], Mouse, Monoclonal |
| Artikelnummer | BOT-BNC040271-500 |
| Hersteller Artikelnummer | BNC040271-500 |
| Alternativnummer | BOT-BNC040271-500-500UL |
| Hersteller | Biotium |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant human ITGAM protein |
| Konjugation | CF405S |
| Produktbeschreibung | CD11b is a cell adhesion molecule that acts as a receptor for cell surface ligands such as intracellular adhesion molecules (ICAMs) or soluble ligands. Integrins are heterodimeric proteins that contain an a chain and b chain. Integrin iM combines wit... |
| Klonalität | Monoclonal |
| Konzentration | 0.1 mg/mL |
| Klon-Bezeichnung | [ITGAM/271] |
| Molekulargewicht | 95 kDa & 170 kDa |

| | |
|------------------------|--|
| UniProt | P11215 |
| Puffer | PBS, 0.1% BSA, 0.05% azide |
| Quelle | Animal |
| Anwendungsbeschreibung | For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry |