

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Heparan Sulphate Proteoglycan(A7L6), CF405S conjugate, 0.1mg/mL, Clone: [A7L6], Rat, Monoclonal BOT-BNC040315-100**

Artikelname	Heparan Sulphate Proteoglycan(A7L6), CF405S conjugate, 0.1mg/mL, Clone: [A7L6], Rat, Monoclonal
Artikelnummer	BOT-BNC040315-100
Hersteller Artikelnummer	BNC040315-100
Alternativnummer	BOT-BNC040315-100-100UL
Hersteller	Biotium
Wirt	Rat
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Bovine, Fish, Human, Monkey, Mouse, Porcine
Immunogen	Murine EHS laminin preparation
Konjugation	CF405S
Produktbeschreibung	This MAb specifically precipitates heterogeneous material of high MW, identified as perlecan, a major heparan-sulfate proteoglycan (HSPG) within all basement membranes and cell surfaces. It does not cross-react with laminin, fibronectin, or dermatan...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[A7L6]

Molekulargewicht	>400 kDa
UniProt	<a href="#">P98160</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 1-2 ug/mL Staining of formalin/paraffin tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user