

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD146 / MCAM / MUC18 / Mucin 18(C146/634), CF405S conjugate, 0.1mg/mL, Clone: [C146/634], Mouse, Monoclonal BOT-BNC040634-100

Artikelname	CD146 / MCAM / MUC18 / Mucin 18(C146/634), CF405S conjugate, 0.1mg/mL, Clone: [C146/634], Mouse, Monoclonal
Artikelnummer	BOT-BNC040634-100
Hersteller Artikelnummer	BNC040634-100
Alternativnummer	BOT-BNC040634-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human CD146 protein
Konjugation	CF405S
Produktbeschreibung	The human CD146 gene maps to chromosome 11q23 and encodes a trans-membrane glycoprotein, also designated MCAM, MUC 18, that belongs to the immunoglobulin superfamily and functions as a Ca ²⁺ - independent cell adhesion molecule. CD146 expression is rest...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[C146/634]

Molekulargewicht	130 kDa
UniProt	P43121
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin) Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Immunofluorescence 0.5-1.0 ug/mL Optimal dilution for a specific application should be determined by user