

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CD106 / VCAM1(VCAM1/843), CF405S conjugate, 0.1mg/mL, Clone: [VCAM1/843], Mouse, Monoclonal BOT-BNC040843-100**

Artikelname	CD106 / VCAM1(VCAM1/843), CF405S conjugate, 0.1mg/mL, Clone: [VCAM1/843], Mouse, Monoclonal
Artikelnummer	BOT-BNC040843-100
Hersteller Artikelnummer	BNC040843-100
Alternativnummer	BOT-BNC040843-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human VCAM1 protein
Konjugation	CF405S
Produktbeschreibung	CD106 (also known as vascular cell adhesion molecule-1, or VCAM-1) is a member of the Ig superfamily of adhesion molecules. It is expressed at high levels on cytokine stimulated vascular endothelial cells, and at minimal levels on un-stimulated endot...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[VCAM1/843]

Molekulargewicht	~110 kDa
UniProt	<a href="#">P19320</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user