

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

GITR / Tnfrsf18 (Mouse)(DTA-1), CF405S conjugate, 0.1mg/mL, Clone: [DTA-1], Rat, Monoclonal BOT-BNC040976-100

| | |
|--------------------------|---|
| Artikelname | GITR / Tnfrsf18 (Mouse)(DTA-1), CF405S conjugate, 0.1mg/mL, Clone: [DTA-1], Rat, Monoclonal |
| Artikelnummer | BOT-BNC040976-100 |
| Hersteller Artikelnummer | BNC040976-100 |
| Alternativnummer | BOT-BNC040976-100-100UL |
| Hersteller | Biotium |
| Wirt | Rat |
| Kategorie | Antikörper |
| Applikation | FC, Functional Studies |
| Spezies Reaktivität | Mouse |
| Immunogen | Mouse CD25 CD4 T cells |
| Konjugation | CF405S |
| Produktbeschreibung | GITR (glucocorticoid-induced TNFR-related gene) is a member of the TNF-receptor superfamily, also known as TNFRSF18. It is expressed at low levels on resting T lymphocytes and at high levels on CD25 CD4 Tregs. The expression of GITR on T cells can be... |
| Klonalität | Monoclonal |
| Konzentration | 0.1 mg/mL |
| Klon-Bezeichnung | [DTA-1] |

| | |
|------------------------|---|
| Molekulargewicht | 66-70 kDa (Homodimer) |
| UniProt | O35714 |
| Puffer | PBS, 0.1% BSA, 0.05% azide |
| Quelle | Animal |
| Anwendungsbeschreibung | Flow cytometry: 0.5-1 ug/million cells in 0.1 mL Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user |