

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Blood Group Antigen A (CD173)(3-3A), CF405S conjugate, 0.1mg/mL, Clone: [3-3A], Mouse, Monoclonal BOT-BNC041251-500**

Artikelname	Blood Group Antigen A (CD173)(3-3A), CF405S conjugate, 0.1mg/mL, Clone: [3-3A], Mouse, Monoclonal
Artikelnummer	BOT-BNC041251-500
Hersteller Artikelnummer	BNC041251-500
Alternativnummer	BOT-BNC041251-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Mucin isolated from an ovarian cyst fluid
Konjugation	CF405S
Produktbeschreibung	This antibody is applicable for staining ABO blood groups A and AB. The histo-blood group ABO involves three carbohydrate antigens: A, B, and H. Blood group antigens are generally defined as molecules formed by sequential addition of saccharides to t...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[3-3A]

Molekulargewicht	Multiple
UniProt	<a href="#">P16442</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistochemistry (formalin-fixed): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user