

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Rb1 (Tumor Suppressor Protein) (1F8), CF405S conjugate, 0.1mg/mL, Clone: [1F8], Mouse, Monoclonal BOT-BNC041701-100**

Artikelname	Rb1 (Tumor Suppressor Protein) (1F8), CF405S conjugate, 0.1mg/mL, Clone: [1F8], Mouse, Monoclonal
Artikelnummer	BOT-BNC041701-100
Hersteller Artikelnummer	BNC041701-100
Alternativnummer	BOT-BNC041701-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human, Mouse
Immunogen	Recombinant human Rb1 protein fragment of 283 amino acid residues (exact sequence is proprietary)
Konjugation	CF405S
Produktbeschreibung	This antibody recognizes a 105 kDa phosphoprotein, identified as retinoblastoma (Rb) gene product. Its epitope is localized between aa 703-772. It shows no cross reaction with p107 or p130. It specifically stains the nuclei of BT-20 cells and primary...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[1F8]
Molekulargewicht	105 kDa
UniProt	<a href="#">P06400</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 0.5-1 ug/mL Immunohistology (formalin) 1-2 ug/mL Western blotting 0.5-1 ug/mL Immunoprecipitation 0.5-1 ug/500ug protein lysate Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Optimal dilution for a specific application should be determined by user