

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Connexin 32 (Gap Junction Protein) (GJB1/1753), CF405S conjugate, 0.1mg/mL, Clone: [GJB1/1753], Mouse, Monoclonal BOT-BNC041753-500**

Artikelname	Connexin 32 (Gap Junction Protein) (GJB1/1753), CF405S conjugate, 0.1mg/mL, Clone: [GJB1/1753], Mouse, Monoclonal
Artikelnummer	BOT-BNC041753-500
Hersteller Artikelnummer	BNC041753-500
Alternativnummer	BOT-BNC041753-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human, Mouse, Rat
Immunogen	Recombinant human GJB1 protein
Konjugation	CF405S
Produktbeschreibung	This Ab recognizes a protein of 27-32 kDa, identified as Connexin 32. The connexin family of proteins forms hexameric complexes called connexons that facilitate movement of low molecular weight proteins between cells via gap junctions. Connexin prote...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[GJB1/1753]

Molekulargewicht	27-32 kDa
UniProt	<a href="#">P08034</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin) 1-2 ug/mL Immunofluorescence 1-2 ug/mL Flow cytometry 0.5-1 ug/million cells Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user