

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CD103 / Integrin alpha E (T-Cell Lymphoma & Hairy Cell Leukemia Marker) (ITGAE/2063), CF405S conjugate, 0.1mg/mL, Clone: [ITGAE/2063], Mouse, Monoclonal BOT-BNC042063-100**

Artikelname	CD103 / Integrin alpha E (T-Cell Lymphoma & Hairy Cell Leukemia Marker) (ITGAE/2063), CF405S conjugate, 0.1mg/mL, Clone: [ITGAE/2063], Mouse, Monoclonal
Artikelnummer	BOT-BNC042063-100
Hersteller Artikelnummer	BNC042063-100
Alternativnummer	BOT-BNC042063-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human ITGAE protein fragment (exact sequence is proprietary)
Konjugation	CF405S
Produktbeschreibung	CD103 is alpha E integrin, belonging to a small beta-7 integrin subfamily. It is primarily expressed in intraepithelial lymphocytes. Together with beta 7 integrin, it is the cell surface receptor for E-cadherin, where it mediates cell adhesion. CD103...
Klonalität	Monoclonal

Konzentration	0.1 mg/mL
Klon-Bezeichnung	[ITGAE/2063]
Molekulargewicht	150 kDa
UniProt	<a href="#">P38570</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user