

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **TLE1 (Synovial Sarcoma Marker) (TLE1/2085), CF405S conjugate, 0.1mg/mL, Clone: [TLE1/2085], Mouse, Monoclonal BOT-BNC042085-500**

Artikelname	TLE1 (Synovial Sarcoma Marker) (TLE1/2085), CF405S conjugate, 0.1mg/mL, Clone: [TLE1/2085], Mouse, Monoclonal
Artikelnummer	BOT-BNC042085-500
Hersteller Artikelnummer	BNC042085-500
Alternativnummer	BOT-BNC042085-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC, WB
Spezies Reaktivität	Human
Immunogen	Recombinant fragment (aa 175-338) of human TLE1 (exact sequence is proprietary)
Konjugation	CF405S
Produktbeschreibung	Key players in the Notch pathway are the TLE genes, which are human homologs of the Drosophila groucho gene. Groucho is a transcriptional repressor that plays a key role in neurogenesis, segmentation and sex determination. Transducin-like enhancer pr...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[TLE1/2085]
Molekulargewicht	83 kDa
UniProt	<a href="#">Q04724</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user