

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CD52 (Epididymis-Specific Protein 5) (CD52/2276R), CF405S conjugate, 0.1mg/mL, Clone: [CD52/2276R], Rabbit, Monoclonal BOT-BNC042276-100**

Artikelname	CD52 (Epididymis-Specific Protein 5) (CD52/2276R), CF405S conjugate, 0.1mg/mL, Clone: [CD52/2276R], Rabbit, Monoclonal
Artikelnummer	BOT-BNC042276-100
Hersteller Artikelnummer	BNC042276-100
Alternativnummer	BOT-BNC042276-100-100UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human, Monkey
Immunogen	Recombinant full-length human CD52 protein
Konjugation	CF405S
Produktbeschreibung	Human CD52 is expressed at high density by lymphocytes, monocytes, eosinophils, thymocytes and macrophages. It is expressed by most lymphoid derived malignancies, although expression on myeloma cells is variable. Primary antibodies are available purif...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[CD52/2276R]
Molekulargewicht	6 kDa
UniProt	<a href="#">P31358</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user