

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD127 / IL7R (Marker of T-Reg Cells)(IL7R/2751), CF405S conjugate, 0.1mg/mL, Clone: [IL7R/2751], Mouse, Monoclonal BOT-BNC042751-500

| | |
|--------------------------|---|
| Artikelname | CD127 / IL7R (Marker of T-Reg Cells)(IL7R/2751), CF405S conjugate, 0.1mg/mL, Clone: [IL7R/2751], Mouse, Monoclonal |
| Artikelnummer | BOT-BNC042751-500 |
| Hersteller Artikelnummer | BNC042751-500 |
| Alternativnummer | BOT-BNC042751-500-500UL |
| Hersteller | Biotium |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | WB |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant fragment (around aa 21-236) of human CD127 protein (IL7R) (exact sequence is proprietary) |
| Konjugation | CF405S |
| Produktbeschreibung | The protein encoded by this gene is a receptor for interleukin 7 (IL7). The function of this receptor requires the interleukin 2 receptor, gamma chain (IL2RG), which is a common gamma chain shared by the receptors of various cytokines, including inte... |
| Klonalität | Monoclonal |
| Konzentration | 0.1 mg/mL |

| | |
|------------------------|---|
| Klon-Bezeichnung | [IL7R/2751] |
| Molekulargewicht | 52-72 kDa |
| UniProt | P16871 |
| Puffer | PBS, 0.1% BSA, 0.05% azide |
| Quelle | Animal |
| Anwendungsbeschreibung | ELISA: For coating, order Ab without BSA, Western blot 1-2 ug/mL, Optimal dilution for a specific application should be determined. Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody |