

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Human Kappa Light Chain(KLC709), CF640R conjugate, 0.1mg/mL, Clone: [KLC709], Mouse, Monoclonal BOT-BNC400709-100

| | |
|--------------------------|---|
| Artikelname | Human Kappa Light Chain(KLC709), CF640R conjugate, 0.1mg/mL, Clone: [KLC709], Mouse, Monoclonal |
| Artikelnummer | BOT-BNC400709-100 |
| Hersteller Artikelnummer | BNC400709-100 |
| Alternativnummer | BOT-BNC400709-100-100UL |
| Hersteller | Biotium |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant human Ig kappa chain |
| Konjugation | CF640R |
| Produktbeschreibung | This MAb is specific to kappa light chain of immunoglobulin and shows no cross-reaction with lambda light chain or any of the five heavy chains. It recognizes human Ig kappa light chains of both secreted and cell surface immunoglobulin. It detects al... |
| Klonalität | Monoclonal |
| Konzentration | 0.1 mg/mL |
| Klon-Bezeichnung | [KLC709] |

| | |
|------------------------|--|
| Molekulargewicht | ~22.5 kDa |
| UniProt | P01601 |
| Puffer | PBS, 0.1% BSA, 0.05% azide |
| Quelle | Animal |
| Anwendungsbeschreibung | Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology formalin-fixed 0.5-1.0 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user |