

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

GnRH-Receptor (LHRH Receptor)(GNRHR/768), CF640R conjugate, 0.1mg/mL, Clone: [GNRHR/768], Mouse, Monoclonal BOT-BNC400768-500

| | |
|--------------------------|---|
| Artikelname | GnRH-Receptor (LHRH Receptor)(GNRHR/768), CF640R conjugate, 0.1mg/mL, Clone: [GNRHR/768], Mouse, Monoclonal |
| Artikelnummer | BOT-BNC400768-500 |
| Hersteller Artikelnummer | BNC400768-500 |
| Alternativnummer | BOT-BNC400768-500-500UL |
| Hersteller | Biotium |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IF, IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant full-length human GNRHR protein |
| Konjugation | CF640R |
| Produktbeschreibung | Recognizes an epitope on the extracellular domain of gonadotropin releasing hormone (GnRH) receptor or luteinizing hormone receptor (LHCGR). Lutropin (also designated luteinizing hormone) plays a role in spermatogenesis and ovulation by stimulating t... |
| Klonalität | Monoclonal |
| Konzentration | 0.1 mg/mL |
| Klon-Bezeichnung | [GNRHR/768] |

| | |
|------------------------|--|
| Molekulargewicht | 54-60 kDa |
| UniProt | P30968 |
| Puffer | PBS, 0.1% BSA, 0.05% azide |
| Quelle | Animal |
| Anwendungsbeschreibung | Immunohistology formalin-fixed 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Immunofluorescence 1-2 ug/mL Optimal dilution for a specific application should be determined by user |