

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **WT1 (Wilms Tumor 1)(WT1/857), CF640R conjugate, 0.1mg/mL, Clone: [WT1/857], Mouse, Monoclonal BOT-BNC400857-500**

|                          |                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | WT1 (Wilms Tumor 1)(WT1/857), CF640R conjugate, 0.1mg/mL, Clone: [WT1/857], Mouse, Monoclonal                                                                                                                                                                 |
| Artikelnummer            | BOT-BNC400857-500                                                                                                                                                                                                                                             |
| Hersteller Artikelnummer | BNC400857-500                                                                                                                                                                                                                                                 |
| Alternativnummer         | BOT-BNC400857-500-500UL                                                                                                                                                                                                                                       |
| Hersteller               | Biotium                                                                                                                                                                                                                                                       |
| Wirt                     | Mouse                                                                                                                                                                                                                                                         |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                    |
| Applikation              | IHC                                                                                                                                                                                                                                                           |
| Spezies Reaktivität      | Human, Mouse, Rat                                                                                                                                                                                                                                             |
| Immunogen                | Recombinant human WT1 protein                                                                                                                                                                                                                                 |
| Konjugation              | CF640R                                                                                                                                                                                                                                                        |
| Produktbeschreibung      | Recognizes a 47-55 kDa-tumor suppressor protein, identified as Wilms Tumor (WT1) protein. The antibody reacts with all isoforms of the full-length WT1 and also identifies WT1 lacking exon 2-encoded amino acids, frequently found in subsets of sporadic... |
| Klonalität               | Monoclonal                                                                                                                                                                                                                                                    |
| Konzentration            | 0.1 mg/mL                                                                                                                                                                                                                                                     |
| Klon-Bezeichnung         | [WT1/857]                                                                                                                                                                                                                                                     |

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Molekulargewicht       | 47-55 kDa                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| UniProt                | <a href="#">P19544</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Puffer                 | PBS, 0.1% BSA, 0.05% azide                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Quelle                 | Animal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Anwendungsbeschreibung | <p>Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user</p> |