

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **MAGE A1(MA454), CF647 conjugate, 0.1mg/mL, Clone: [MA454], Mouse, Monoclonal BOT-BNC470008-100**

Artikelname	MAGE A1(MA454), CF647 conjugate, 0.1mg/mL, Clone: [MA454], Mouse, Monoclonal
Artikelnummer	BOT-BNC470008-100
Hersteller Artikelnummer	BNC470008-100
Alternativnummer	BOT-BNC470008-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	ELISA, FC, IHC, WB
Spezies Reaktivität	Canine, Human, Rat
Immunogen	Human MAGE-A1 full length recombinant protein
Konjugation	CF647
Produktbeschreibung	Recognizes a protein of 42-46 kDa, identified as MAGE-1. This MAb does not cross-react with MAGE-2, -3, -4, -6 -9, -10, -or -12 protein. Human malignant neoplasms carry rejection antigens that are recognized by the patients autologous, tumor directed...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[MA454]

Molekulargewicht	42-46 kDa
UniProt	<a href="#">P43355</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user