

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

MUC2(CCP58), CF647 conjugate, 0.1mg/mL, Clone: [CCP58], Mouse, Monoclonal BOT-BNC470032-100

Artikelname	MUC2(CCP58), CF647 conjugate, 0.1mg/mL, Clone: [CCP58], Mouse, Monoclonal
Artikelnummer	BOT-BNC470032-100
Hersteller Artikelnummer	BNC470032-100
Alternativnummer	BOT-BNC470032-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	ELISA, IF, IHC, WB
Spezies Reaktivität	Human
Immunogen	A synthetic peptide of 29 amino acids, KYPTTTPISTTTMVTPPTPTGTQTPTTT from MUC2 protein, coupled to KLH.
Konjugation	CF647
Produktbeschreibung	Recognizes a single glycoprotein of 520 kDa, identified as mucin 2 (MUC2). This MAb shows no cross-reaction with human milk fat globule membranes, MUC1, or MUC3. Its epitope has been defined as GTQTP (GlyThrGlnThrPro). Mucins are high molecular weigh...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[CCP58]
Molekulargewicht	520 kDa
UniProt	Q02817
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	<p>Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user</p>