

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CD74(LN-2), CF647 conjugate, 0.1mg/mL, Clone: [LN-2], Mouse, Monoclonal BOT-BNC470056-500**

Artikelname	CD74(LN-2), CF647 conjugate, 0.1mg/mL, Clone: [LN-2], Mouse, Monoclonal
Artikelnummer	BOT-BNC470056-500
Hersteller Artikelnummer	BNC470056-500
Alternativnummer	BOT-BNC470056-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC
Spezies Reaktivität	Human, Mouse, Primate
Immunogen	SU-DHL-4 lymphoma cells
Konjugation	CF647
Produktbeschreibung	This antibody recognizes a protein of ~35 kDa, identified as CD74 (Workshop IV). CD74 is a type II transmembrane protein which binds to the peptide binding groove of newly synthesized MHC class II alpha/beta heterodimers and prevents their premature ...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[LN-2]

Molekulargewicht	33-41 kDa
UniProt	<a href="#">P04423</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology formalin-fixed 1-2 ug/mL Does not react with rat, others not known Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user