

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Nucleolar / Nucleoli(NM95), CF647 conjugate, 0.1mg/mL, Clone: [NM95], Mouse, Monoclonal BOT-BNC470095-500**

Artikelname	Nucleolar / Nucleoli(NM95), CF647 conjugate, 0.1mg/mL, Clone: [NM95], Mouse, Monoclonal
Artikelnummer	BOT-BNC470095-500
Hersteller Artikelnummer	BNC470095-500
Alternativnummer	BOT-BNC470095-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC
Spezies Reaktivität	Human
Immunogen	Nuclei of myeloid leukemia biopsy cells
Konjugation	CF647
Produktbeschreibung	This MAb is an excellent marker for human cells in xenographic model research. It reacts specifically with human cells. This monoclonal antibody is part of a new panel of reagents, which recognizes subcellular organelles or compartments of human cell...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[NM95]

Molekulargewicht	Not Known
UniProt	Not Known
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Does not react with mouse, rat or cow, others not known Immunohistology formalin-paraffin 0.25-0.5 ug/mL Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Immunocytochemistry acetone-fixed cells 0.5-1.0 ug/mL Immunofluorescence 0.5-1.0 ug/mL Optimal dilution for a specific application should be determined by user