

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD45 / LCA(135-4C5), CF647 conjugate, 0.1mg/mL, Clone: [135-4C5], Mouse, Monoclonal BOT-BNC470172-100

| | |
|--------------------------|---|
| Artikelname | CD45 / LCA(135-4C5), CF647 conjugate, 0.1mg/mL, Clone: [135-4C5], Mouse, Monoclonal |
| Artikelnummer | BOT-BNC470172-100 |
| Hersteller Artikelnummer | BNC470172-100 |
| Alternativnummer | BOT-BNC470172-100-100UL |
| Hersteller | Biotium |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | FC, IF, IHC |
| Spezies Reaktivität | Human |
| Immunogen | Stimulated human leukocytes |
| Konjugation | CF647 |
| Produktbeschreibung | CD45R, also designated CD45 and PTPRC, has been identified as a transmembrane glycoprotein, broadly expressed among hematopoietic cells. Multiple isoforms of CD45R are distributed throughout the immune system according to cell type. These isoforms ar... |
| Klonalität | Monoclonal |
| Konzentration | 0.1 mg/mL |

| | |
|------------------------|--|
| Klon-Bezeichnung | [135-4C5] |
| Molekulargewicht | 180-220 kDa |
| UniProt | P08575 |
| Puffer | PBS, 0.1% BSA, 0.05% azide |
| Quelle | Animal |
| Anwendungsbeschreibung | Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin) Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user |