

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Catenin, beta (p120) (5H10), CF647 conjugate, 0.1mg/mL, Clone: [5H10], Mouse, Monoclonal BOT-BNC471444-500**

Artikelname	Catenin, beta (p120) (5H10), CF647 conjugate, 0.1mg/mL, Clone: [5H10], Mouse, Monoclonal
Artikelnummer	BOT-BNC471444-500
Hersteller Artikelnummer	BNC471444-500
Alternativnummer	BOT-BNC471444-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IHC, WB
Spezies Reaktivität	Gallus, Human, Mouse
Immunogen	Fusion protein consisting of the maltose binding protein fused to a 100 amino acid segment of the C-terminus of chicken beta-Catenin
Konjugation	CF647
Produktbeschreibung	Beta-catenin associates with the cytoplasmic portion of E-cadherin. The catenin/cadherin complexes play an important role mediating cellular adhesion, including adherens junctions. Beta-catenin is involved in the Wnt signaling pathway as well as othe...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[5H10]
Molekulargewicht	92 kDa
UniProt	<a href="#">P35222</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	<p>Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology (formalin) 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 1 mM EDTA pH 7.5-8.5 Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user</p>