

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Catenin, gamma (Cardiomyocyte Marker) (CTNG/1483), CF647 conjugate, 0.1mg/mL, Clone: [CTNG/1483], Mouse, Monoclonal BOT-BNC471483-100

| | |
|--------------------------|---|
| Artikelname | Catenin, gamma (Cardiomyocyte Marker) (CTNG/1483), CF647 conjugate, 0.1mg/mL, Clone: [CTNG/1483], Mouse, Monoclonal |
| Artikelnummer | BOT-BNC471483-100 |
| Hersteller Artikelnummer | BNC471483-100 |
| Alternativnummer | BOT-BNC471483-100-100UL |
| Hersteller | Biotium |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant human full-length gamma catenin protein |
| Konjugation | CF647 |
| Produktbeschreibung | Gamma catenin, also known as JUP or junction plakoglobin, is a member of the catenin family. The catenins (alpha, beta, gamma, and delta) are ubiquitously expressed, cytoplasmic proteins that associate with E-cadherin at cellular junctions. Catenin/c... |
| Klonalität | Monoclonal |
| Konzentration | 0.1 mg/mL |
| Klon-Bezeichnung | [CTNG/1483] |

| | |
|------------------------|---|
| Molekulargewicht | 80-87 kDa |
| UniProt | P14923 |
| Puffer | PBS, 0.1% BSA, 0.05% azide |
| Quelle | Animal |
| Anwendungsbeschreibung | Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris, 1 mM EDTA pH 9.0 for 10-20 min followed by cooling at RT for 20 min Immunohistology (formalin) 0.1-0.2 ug/mL Flow Cytometry 0.5-1 ug/million cells/0.1 mL Immunofluorescence 1-2 ug/mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user |