

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

PAX8 (Renal Cell Marker) (PAX8/1492), CF647 conjugate, 0.1mg/mL, IgG2a, Clone: [PAX8/1492], Mouse, Monoclonal BOT-BNC471492-100

Artikelname	PAX8 (Renal Cell Marker) (PAX8/1492), CF647 conjugate, 0.1mg/mL, IgG2a, Clone: [PAX8/1492], Mouse, Monoclonal
Artikelnummer	BOT-BNC471492-100
Hersteller Artikelnummer	BNC471492-100
Alternativnummer	BOT-BNC471492-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC, WB
Spezies Reaktivität	Human
Immunogen	Recombinant human PAX8 fragment (aa60-261) (exact sequence is proprietary)
Konjugation	CF647
Produktbeschreibung	This antibody recognizes a protein of 62 kDa, identified as PAX8. It is a member of the paired box (PAX) family of transcription factors. This nuclear protein is involved in thyroid follicular cell development and expression of thyroid-specific genes...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[PAX8/1492]
Molekulargewicht	62 kDa
Isotyp	IgG2a
UniProt	Q06710
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology (formalin) 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris buffer with 1 mM EDTA Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user