

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CD20 / MS4A1 (B-Cell Marker) (IGEL/1497R), CF568 conjugate, 0.1mg/mL, Clone: [IGEL/1497R], Rabbit, Monoclonal BOT-BNC681497-500**

Artikelname	CD20 / MS4A1 (B-Cell Marker) (IGEL/1497R), CF568 conjugate, 0.1mg/mL, Clone: [IGEL/1497R], Rabbit, Monoclonal
Artikelnummer	BOT-BNC681497-500
Hersteller Artikelnummer	BNC681497-500
Alternativnummer	BOT-BNC681497-500-500UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Applikation	FC, IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human full-length MS4A1 protein
Konjugation	CF568
Produktbeschreibung	This antibody recognizes a protein of 30-33 kDa, which is identified as CD20. It is a non-Ig differentiation antigen of B-cells and its expression is restricted to normal and neoplastic B-cells, being absent from all other leukocytes and tissues. CD2...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[IGEL/1497R]

Molekulargewicht	33-37 kDa
UniProt	<a href="#">P11836</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Immunofluorescence 0.5-1 ug/mL Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user