

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Cytokeratin 7 (Glandular and Transitional Epithelial Marker) (KRT7/1499R), CF568 conjugate, 0.1mg/mL, Clone: [KRT7/1499R], Rabbit, Monoclonal BOT-BNC681499-100**

Artikelname	Cytokeratin 7 (Glandular and Transitional Epithelial Marker) (KRT7/1499R), CF568 conjugate, 0.1mg/mL, Clone: [KRT7/1499R], Rabbit, Monoclonal
Artikelnummer	BOT-BNC681499-100
Hersteller Artikelnummer	BNC681499-100
Alternativnummer	BOT-BNC681499-100-100UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Applikation	FC, IHC, WB
Spezies Reaktivität	Human
Immunogen	Recombinant full-length human KRT7 protein
Konjugation	CF568
Produktbeschreibung	This antibody recognizes an intermediate filament protein (IFP) of 55 kDa, which is identified as cytokeratin 7. This MAb is highly specific to cytokeratin 7 and shows no cross-reaction with other IFPs. Cytokeratin 7 is a basic cytokeratin, which is ...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[KRT7/1499R]
Molekulargewicht	55 kDa
UniProt	<a href="#">P08729</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Immunofluorescence 0.5-1 ug/mL Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user