

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Podocalyxin (PODXL) (Hematopoietic Stem Cell Marker) (PODXL/2185), CF568 conjugate, 0.1mg/mL, IgG1, Clone: [PODXL/2185], Mouse, Monoclonal BOT-BNC682185-100

Artikelname	Podocalyxin (PODXL) (Hematopoietic Stem Cell Marker) (PODXL/2185), CF568 conjugate, 0.1mg/mL, IgG1, Clone: [PODXL/2185], Mouse, Monoclonal
Artikelnummer	BOT-BNC682185-100
Hersteller Artikelnummer	BNC682185-100
Alternativnummer	BOT-BNC682185-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant fragment of human Podocalyxin (around aa 310-447) (exact sequence is proprietary)
Konjugation	CF568
Produktbeschreibung	Podocalyxin is a member of the CD34 transmembrane sialomucin family. It is highly expressed on the podocyte foot projections and plays essential roles in kidney development and homeostasis, blood filtration and urine formation. It is also expressed o...
Klonalität	Monoclonal

Konzentration	0.1 mg/mL
Klon-Bezeichnung	[PODXL/2185]
Molekulargewicht	165-170 kDa
Isotyp	IgG1
UniProt	O00592
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user