

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

PGP9.5 / UchL1 (pan-Neuronal Marker) (rUCHL1/775), CF568 conjugate, 0.1mg/mL, Clone: [rUCHL1/775], Mouse, Monoclonal BOT-BNC682205-500

Artikelname	PGP9.5 / UchL1 (pan-Neuronal Marker) (rUCHL1/775), CF568 conjugate, 0.1mg/mL, Clone: [rUCHL1/775], Mouse, Monoclonal
Artikelnummer	BOT-BNC682205-500
Hersteller Artikelnummer	BNC682205-500
Alternativnummer	BOT-BNC682205-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC, WB
Spezies Reaktivität	Human, Rat
Immunogen	Recombinant full-length human UCHL1 protein
Konjugation	CF568
Produktbeschreibung	This MAb reacts with a protein of 20-30 kDa, identified as PGP9.5, also known as ubiquitin carboxyl-terminal hydrolase-1 (UchL1). Initially, PGP9.5 expression in normal tissues was reported in neurons and neuroendocrine cells but later it was found i...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[rUCHL1/775]

Molekulargewicht	20-30 kDa
UniProt	P09936
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Western blotting 1-2 ug/mL Optimal dilution for a specific application should be determined by user