

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Cytokeratin 8/18(B22.1 + B23.1), CF594 conjugate, 0.1mg/mL, Clone: [B22.1 B23.1], Mouse, Monoclonal BOT-BNC941221-500**

|                          |   |
|--------------------------|---|
| Artikelname              | Cytokeratin 8/18(B22.1 + B23.1), CF594 conjugate, 0.1mg/mL, Clone: [B22.1 B23.1], Mouse, Monoclonal   |
| Artikelnummer            | BOT-BNC941221-500   |
| Hersteller Artikelnummer | BNC941221-500   |
| Alternativnummer         | BOT-BNC941221-500-500UL   |
| Hersteller               | Biotium   |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | IHC   |
| Spezies Reaktivität      | Human   |
| Immunogen                | Cytoskeletal preparation from HeLa epitheliod carcinoma cells (B22.1) and PMC-42 breast carcinoma cells of human origin (B23.1)   |
| Konjugation              | CF594   |
| Produktbeschreibung      | Cytokeratin 8 (CK8) belongs to the type II (or B or basic) subfamily of high molecular weight cytokeratins and exists in combination with cytokeratin 18 (CK18). This MAb cocktail recognizes all simple epithelia including glandular epithelium, for exa... |
| Klonalität               | Monoclonal  |
| Konzentration            | 0.1 mg/mL   |

|                        |   |
|------------------------|---|
| Klon-Bezeichnung       | [B22.1 B23.1]   |
| Molekulargewicht       | 52.5 kDa (CK8), 45 kDa (CK18)   |
| UniProt                | <a href="#">P05787</a>  |
| Puffer                 | PBS, 0.1% BSA, 0.05% azide  |
| Quelle                 | Animal  |
| Anwendungsbeschreibung | Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1.0 ug/mL |