

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Complement C4d(C4D204), Biotin conjugate, 0.1mg/mL, Clone: [C4D204], Mouse, Monoclonal BOT-BNCB0204-500**

Artikelname	Complement C4d(C4D204), Biotin conjugate, 0.1mg/mL, Clone: [C4D204], Mouse, Monoclonal
Artikelnummer	BOT-BNCB0204-500
Hersteller Artikelnummer	BNCB0204-500
Alternativnummer	BOT-BNCB0204-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IF, IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human Complement 4d protein
Konjugation	Biotin
Produktbeschreibung	This MAb is specific to Complement 4d (C4d) and it reacts with the secreted as well as cell-bound C4d. C4d is a degradation product of the activated complement factor C4b. Complement 4b is typically activated by binding of Abs to specific target mole...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[C4D204]

Molekulargewicht	192 kDa (predicted)
UniProt	<a href="#">P0COL4</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology formalin-fixed 1:200-1:400 Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Immunofluorescence 1:50-1:100 ELISA For coating use Ab at 1-2 ug/mL, order Ab without BSA Optimal dilution for a specific application should be determined by user