

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Cyclin B1(CCNB1/1098), Biotin conjugate, 0.1mg/mL, Clone: [CCNB1/1098], Mouse, Monoclonal BOT-BNCB1098-500

Artikelname	Cyclin B1(CCNB1/1098), Biotin conjugate, 0.1mg/mL, Clone: [CCNB1/1098], Mouse, Monoclonal
Artikelnummer	BOT-BNCB1098-500
Hersteller Artikelnummer	BNCB1098-500
Alternativnummer	BOT-BNCB1098-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC
Spezies Reaktivität	Human, Mouse
Immunogen	Recombinant human full-length CCNB1 protein
Konjugation	Biotin
Produktbeschreibung	This antibody recognizes a protein of 55-62 kDa, identified as cyclin B1. In mammals, cyclin B associates with inactive p34cdc2, which facilitates phosphorylation of p34cdc2 at aa 14Thr and 15Tyr. This maintains the inactive state until the end of G2...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[CCNB1/1098]

Molekulargewicht	55-62 kDa
UniProt	P14635
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Does not stain methanol-fixed cells Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user